



CL Touch Totem

Unleash the full potential of Digital Signage for maximum engagement.

The CL Touch Totem is the ultimate information kiosk, designed to enhance audience engagement through a dynamic and intuitive experience. With touch capabilities and inbuilt digital signage, it is the perfect solution to empower users to navigate between content, complete online forms, browse websites safely.







Available in a range of sizes 55" | 65"



Subscription free feature rich digital signage.

Create your account today at cleverlive.com

The description, illustrations, etc. on this document may be subject to change in accordance with the latest product specification and performance.

Key Features







In-built QR code functionality



Capacitive Touch



One Touch Messaging & Broadcasting



Power Management Scheduling



Ultra-slim, sleek modern design



24/7 Usage



Easy to create touch presentations

Enhance your solution







Use touch functionality to engage with your audience to help them navigate between presentations and experience a unique interactive user journey.

CL Touch Totem Specifications

Panel

| Screen size | 55" 65" |
|----------------|---|
| Panel Type | a-Si TFT-LCD |
| Active Area | Refer specifications as these differ for each size. |
| Resolution | 1920 x 1080 |
| Brightness | 350 Nits |
| Contrast Ratio | 1200:1 |
| Viewing Angle | 89/89/89 |
| LED Life Time | 50,000Hr |
| Weight | 55" 43kg |
| | 65" 49kg |

Motherboard

| Operation System | Android 13 |
|------------------|-----------------------------|
| CPU | RK3588 Octa-core |
| Memory | 4G |
| Storage | 32G |
| Network | Wi-Fi 6 – 2.4GHz/5GHz, RJ45 |
| Speakers | 5W x2 |

Environmental Conditions

| Operating System | 0°C - 50°C |
|------------------|------------|
| Storage System | -20°C60°C |

Power

| Power Supply | 96 - 220 V |
|-----------------|----------------------|
| Power Supply | 55" 110W 65" 155W |
| Rated Frequency | 50/60Hz |

Installation

The installation of this product should be completed by a qualified installer. Use of components not supplied by Clevertouch or not meeting minimum specifications may impact performance, safety and warranty. For more information, visit clevertouch.com

Support

For all Clevertouch products, visit: support.clevertouch.com

Warranty

Warranty term and upgrade options vary by region. Contact your local reseller or distributor for information and visit clevertouch.com/about/warranty

Compliance & Certification

Statement

Size and weight vary by configuration and manufacturing process, please refer to the actual product. The product images are for illustrative purposes only and may slightly differ in appearance, colour, size, etc. from the actual product. The description, illustrations, etc. in this document may subject to change in accordance with the latest product specification and performance. Should the abovementioned change in the document become necessary, the document may be updated without written notice.